<ol> <li>IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING INFORMATION ON THE PRODUCT</li> <li>Product identifier Trade name</li> <li>PINK CAD-CAM DISC</li> <li>Relevant identifier uses of the substance or mixture and uses advised against Recommended use Discs have been used for fabrication of dentures by using CAD/CAM techniques. Details of the supplier of the Safety Data Sheet</li> </ol>	
<ul> <li>INFORMATION ON THE PRODUCT</li> <li>Product identifier Trade name</li> <li>PINK CAD-CAM DISC</li> <li>Relevant identifier uses of the substance or mixture and uses advised against Recommended use Discs have been used for fabrication of dentures by using CAD/CAM techniques. Details of the supplier of the Safety Data Sheet</li> </ul>	
<ol> <li>Product identifier Trade name</li> <li>PINK CAD-CAM DISC</li> <li>Relevant identifier uses of the substance or mixture and uses advised against Recommended use Discs have been used for fabrication of dentures by using CAD/CAM techniques. Details of the supplier of the Safety Data Sheet</li> </ol>	
Trade name         PINK CAD-CAM DISC         1.2       Relevant identifier uses of the substance or mixture and uses advised against Recommended use         Discs have been used for fabrication of dentures by using CAD/CAM techniques.         Details of the supplier of the Safety Data Sheet	
<ul> <li>PINK CAD-CAM DISC</li> <li>1.2 Relevant identifier uses of the substance or mixture and uses advised against Recommended use         Discs have been used for fabrication of dentures by using CAD/CAM techniques.     </li> <li>Details of the supplier of the Safety Data Sheet</li> </ul>	
<ul> <li>1.2 Relevant identifier uses of the substance or mixture and uses advised against Recommended use Discs have been used for fabrication of dentures by using CAD/CAM techniques. Details of the supplier of the Safety Data Sheet</li> </ul>	
<b>Recommended use</b> Discs have been used for fabrication of dentures by using CAD/CAM techniques. <b>Details of the supplier of the Safety Data Sheet</b>	
<b>Recommended use</b> Discs have been used for fabrication of dentures by using CAD/CAM techniques. <b>Details of the supplier of the Safety Data Sheet</b>	
Discs have been used for fabrication of dentures by using CAD/CAM techniques. <b>Details of the supplier of the Safety Data Sheet</b>	
Details of the supplier of the Safety Data Sheet	
1.3 Manufacturer/supplier	
Polident d.o.o.,	
Dental Products Industry	
Volčja Draga 42, 5293 Volčja Draga,	
Slovenija	
Tel.:00386 5 3304840, Fax: 00386 5 3304870	
E-mail: <u>polident@polident.si</u>	
Information provided by	
00386 5 3304859	
Emergency telephone number	
<b>1.4</b> 00386 5 3304840	
2. HAZARDS IDENTIFICATION	
2.1 Classification of the substance or mixture	
Classification according to Regulation 1272/2008/EC: Not applicable	
2.2 Label elements	
Labelling according to Regulation 1272/2008/EC:	
Not applicable	
2.3 Other hazards:	
None.	
<b>Results of PBT and vPvB assessment</b>	
<b>PBT:</b> Not applicable.	
<b>vPvB:</b> Not applicable.	
3. COMPOSITION/INFORMATION ON INGREDIENTS	
3.1 Chemical characterization: Mixtures	
Description	
Material on the base of polymethylmethacrylate, dimethacrylates and pigments.	
Hazardous ingredients according to Regulation 1272/2008/EC:	
Not applicable	
Not applicable	
4 FIRST AID MEASURES	
<ul> <li>4. FIRST AID MEASURES</li> <li>4.1 Description of first aid measures</li> </ul>	
4.1 Description of first aid measures	
4.1 Description of first aid measures General information	
4.1 Description of first aid measures General information No special measures required.	
4.1 Description of first aid measures General information No special measures required. Inhalation	
<ul> <li>4.1 Description of first aid measures         <ul> <li>General information</li> <li>No special measures required.</li> <li>Inhalation</li> <li>Remove the casualty into fresh air. In case of complaints get medical advice.</li> </ul> </li> </ul>	
<ul> <li>4.1 Description of first aid measures General information No special measures required. Inhalation Remove the casualty into fresh air. In case of complaints get medical advice. Skin contact</li> </ul>	
<ul> <li>4.1 Description of first aid measures General information No special measures required. Inhalation Remove the casualty into fresh air. In case of complaints get medical advice. Skin contact Wash off with water and soap. Consult a physician if irritation persists.</li> </ul>	
<ul> <li>4.1 Description of first aid measures General information No special measures required. Inhalation Remove the casualty into fresh air. In case of complaints get medical advice. Skin contact Wash off with water and soap. Consult a physician if irritation persists. Eye contact</li> </ul>	۰t
<ul> <li>4.1 Description of first aid measures General information No special measures required. Inhalation Remove the casualty into fresh air. In case of complaints get medical advice. Skin contact Wash off with water and soap. Consult a physician if irritation persists.</li> </ul>	×t.

<ul> <li>Wash out mouth with water and drink water. In case of complaints get medical advice.</li> <li>4.2 Most important symptoms and effects, both acute and delayed None known.</li> <li>4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.</li> <li>5. FIRE - FIGHTING MEASURES</li> <li>5.1 Extinguishing media Suitable extinguishing media for safety reasons None.</li> <li>5.2 Special hazards arising from the substance or mixture May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.</li> <li>5.3 Advice for firefighters Wear self-contained breathing apparatus.</li> <li>6.4 ACCIDENTAL RELEASE MEASURES</li> <li>6.1 Personal precautions, protective equipment and emergency procedures Not required.</li> <li>6.3 Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.</li> <li>6.4 Reference to other sections For information on safe handling see Section 7. For information on safe handling see Section 13.</li> <li>7. HANDLING AND STORAGE 7.1 Precautions protection equipment see Section 8. For information on disposal information see section 13.</li> <li>7. HANDLING AND STORAGE 7.1 Precautions for safe handling Safe handling advice Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated. No eating, drinking or smoking during handling with product. Follow the usual good standards of occupational hygiene. Information on first and explosion protection No special measures required.</li> <li>7.2 Conditions for stafe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage.</li> <li>7.3 Specific end use(s) None.</li> <li>8. EXPOSURE CONTROLS/PERSONAL PROTECTION 8.4 Control parameters Ingredients with limit values that require monitoring at the workplace Ingredients with limit values that require monitoring at the workplace None area is well ventiliate</li></ul>		Incation
<ul> <li>4.2 Most important symptoms and effects, both acute and delayed None known.</li> <li>4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.</li> <li>5. FIRE - FIGHTINKO MEASURES</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing media for safety reasons None.</li> <li>5.2 Special hazards arising from the substance or mixture May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.</li> <li>5.3 Advice for firefighters</li> <li>Wear self-contained breathing apparatus.</li> <li>6. ACCIDENTAL RELEASE MEASURES</li> <li>6.1 Personal precautions, protective equipment and emergency procedures Not required.</li> <li>6.2 Environmental precautions</li> <li>No special measures required.</li> <li>6.3 Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.</li> <li>6.4 Reference to other sections</li> <li>For information on safe handling see Section 7. For information on personal protection equipment see Section 8. For information on personal protection equipment see Section 8. For information on personal protection equipment see Section 8. For information on disposal information see section 13.</li> <li>7. HANDLING AND STORAGE</li> <li>7. Prevations for safe handling</li> <li>Safe handling advice Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated.</li> <li>No special measures required.</li> <li>7.2 Conditions for safe storage, including any incompatibilities Storage</li> <li>Requirements for storage areas Keep in dry storage.</li> <li>7.3 Specific end use(s) None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposur</li></ul>		Ingestion
<ul> <li>None knövn.</li> <li>Indication of any immediate medical attention and special treatment needed Treat symptomatically.</li> <li>FIRE - FIGHTING MEASURES</li> <li>Extinguishing media</li> <li>Suitable extinguishing media</li> <li>Water, foam, dry powder, carbon dioxide.</li> <li>Unsuitable extinguishing media</li> <li>Water, foam, dry powder, carbon dioxide.</li> <li>Unsuitable extinguishing media</li> <li>Special hazards arising from the substance or mixture</li> <li>May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.</li> <li>Advice for firefighters</li> <li>Wear self-contained breathing apparatus.</li> <li>Actorice for firefighters</li> <li>Wear self-contained breathing apparatus.</li> <li>Actorice for firefighters</li> <li>No required.</li> <li>Environmental precautions, protective equipment and emergency procedures</li> <li>No trequired.</li> <li>Environmental precautions</li> <li>No special measures required.</li> <li>Methods and material for containment and cleaning up</li> <li>Pick up mechanically. Dispose of in accordance with regulations.</li> <li>Reference to other sections</li> <li>For information on safe handling see Section 7.</li> <li>For information on safe handling see Section 13.</li> <li>HANDLING AND STORAGE</li> <li>Precautions for safe handling</li> <li>Safe handling advice</li> <li>Only adequate trained persons may deal with product. For use in dentistry only.</li> <li>Keep away from children.</li> <li>Ensure the area is well ventilated.</li> <li>No acting, drinking or smoking during handling with product.</li> <li>Follow the usual good standards of occupational hygiene.</li> <li>Information on fire and explosion protection</li> <li>No acting, drinking or smoking during handling with product.</li> <li>Follow the usual good standards of occupational hygiene.</li> <li>Information on fir</li></ul>	4.2	
<ul> <li>4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.</li> <li>5. FIRE - FIGHTINKO MEASURES</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing media for safety reasons None.</li> <li>5.2 Special hazards arising from the substance or mixture</li> <li>May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.</li> <li>5.3 Advice for firefighters</li> <li>Wear self-contained breathing apparatus.</li> <li>6.4 ACCIDENTAL RELEASE MEASURES</li> <li>6.1 Personal precautions, protective equipment and emergency procedures Not required.</li> <li>6.2 Environmental precautions</li> <li>No special measures required.</li> <li>6.3 Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.</li> <li>6.4 Reference to other sections</li> <li>For information on safe handling see Section 7. For information on safe handling see Section 13.</li> <li>7. HANDLING AND STORAGE.</li> <li>7.1 Precautions for stork handling</li> <li>Safe handling advice</li> <li>Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated.</li> <li>No special measures required.</li> <li>7.2 Conditions for storage areas</li> <li>Keep in dry storage, including any incompatibilities</li> <li>Storage</li> <li>Requirements for storage areas</li> <li>Keep in dry storage, areas</li> <li>Keep in dry storage, including any incompatibilities</li> <li>Storage</li> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> <li>7.3 Specific end use(s) None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters</li> <li>Ingredients with limit values that require monitoring at the workplace Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the</li></ul>	4.2	
Treat symptomatically.         5.       FIRE - FIGHTING MEASURES         5.1       Extinguishing media         Suitable extinguishing media for safety reasons       None.         2.       Special hazards arising from the substance or mixture         May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.       decomposition.         5.3       Advice for firefighters       Wear self-contained breathing apparatus.         6.       ACCDENTAL RELEASE MEASURES       6.1         6.1       Personal precautions, protective equipment and emergency procedures       Not required.         6.2       Environmental precautions       No special measures required.         6.3       Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.       6.4         6.4       Generation on asfe handling see Section 7.       For information on asfe handling up esclass and the regulations.         6.4       Reference to other sections       For information on asfe handling up esclass and the product. For use in dentistry only.         Keep away from children.       Essave the area is well ventilated.       No eating, drinking or smoking during handling with product.         7.1       HANDLING AND STORAGE       To well ventilated.       No eating, drinking or smoking during handling with product.         No actin	4.2	
<ol> <li>FIRE – FIGHTING MEASURES</li> <li>Extinguishing media</li> <li>Suitable extinguishing media</li> <li>Water, foam, dry powder, carbon dioxide.</li> <li>Unsuitable extinguishing media for safety reasons</li> <li>None.</li> <li>Special hazards arising from the substance or mixture</li> <li>May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.</li> <li>Advice for firefighters</li> <li>Wear self-contained breathing apparatus.</li> <li>ACCIDENTAL RELEASE MEASURES</li> <li>Personal precautions, protective equipment and emergency procedures</li> <li>Not required.</li> <li>Environmental precautions</li> <li>No special measures required.</li> <li>Methods and material for containment and cleaning up</li> <li>Pick up mechanically. Dispose of in accordance with regulations.</li> <li>Reference to other sections</li> <li>For information on personal protection equipment see Section 8.</li> <li>For information on personal protection equipment see Section 13.</li> <li>HANDLING AND STORAGE</li> <li>Prescutions for safe handling</li> <li>Safe handling advice</li> <li>Only adequate trained persons may deal with product. For use in dentistry only.</li> <li>Keep away from children.</li> <li>Ensure the area is well ventilated.</li> <li>No eating, drinking or smoking during handling with product.</li> <li>Follow the usual good standards of occupational hygine.</li> <li>Information on for safe storage, including any incompatibilities</li> <li>Storage</li> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> <li>Specific end use(s)</li> <li>None.</li> <li>EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>Control parameters</li> <li>Provide adequate train any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>They routed adequate values.</li> </ol>	4.3	
<ul> <li>5.1 Extinguishing media Suitable extinguishing media Water, foam, dry powder, carbon dioxide. Unsuitable extinguishing media for safety reasons None.</li> <li>5.2 Special hazards arising from the substance or mixture May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.</li> <li>5.3 Advice for firefighters Wear self-contained breathing apparatus.</li> <li>6. ACCIDENTAL RELEASE MEASURES</li> <li>6.1 Personal precautions, protective equipment and emergency procedures Not required.</li> <li>6.2 Environmental precautions No special measures required.</li> <li>6.3 Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.</li> <li>6.4 Reference to other sections For information on safe handling see Section 7. For information on safe handling see Section 7. For information on safe handling see Section 13.</li> <li>7. HANDLING AND STORAGE</li> <li>7.1 Precautions for safe handling Safe handling advice Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated. No eating, drinking or smoking during handling with product. Follow the usual good standards of occupational hygiene. Information on fire and explosion protection No special measures required.</li> <li>7.2 Conditions for safe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage.</li> <li>7.3 Specific end use(s) None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls General protective measures</li> <li>9.3 Specific end use(s) None.</li> </ul>	-	
Suitable extinguishing media           Water, foam, dry powder, carbon dioxide.           Unsuitable extinguishing media for safety reasons           None.           5.2         Special hazards arising from the substance or mixture           May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.           5.3         Advice for firefighters           Wear self-contained breathing apparatus.         6.           6.         Personal precautions, protective equipment and emergency procedures           Not required.         6.3           6.3         Methods and material for containment and cleaning up           Pick up mechanically. Dispose of in accordance with regulations.         6.           6.3         Reference to other sections           For information on safe handling see Section 7.         For information on disposal information see section 13.           7.         HANDLING AND STORAGE           7.1         Precautions for safe handling           Safe handling advice         Only adequate trained persons may deal with product. For use in dentistry only.           Keep away from children.         Ensure the area is well ventilated.           No secial measures required.         7.2           Conditions for safe storage, including any incompatibilities         Storage           Requirements for st		
<ul> <li>Water, foam, dry powder, carbon dioxide.</li> <li>Unsuitable extinguishing media for safety reasons None.</li> <li>Special hazards arising from the substance or mixture May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.</li> <li>Advice for firefighters Wear self-contained breathing apparatus.</li> <li>ACCIDENTAL RELEASE MEASURES</li> <li>ACCIDENTAL RELEASE MEASURES</li> <li>Personal precautions, protective equipment and emergency procedures Not required.</li> <li>Environmental precautions No special measures required.</li> <li>Environmental precautions No special measures required.</li> <li>Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.</li> <li>Reference to other sections For information on genonal protection equipment see Section 8. For information on personal protection equipment see Section 8. For information on disposal information see section 13.</li> <li>HANDLING AND STORAGE</li> <li>Precautions for safe handling Safe handling advice Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated. No eating, drinking or smoking during handling with product. Follow the usual good standards of occupational hygiene. Information on firs and explosion protection No special measures required.</li> <li>Conditions for safe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage.</li> <li>Synetific end use(s) None.</li> <li>EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>Control parameters</li> <li>Exposure controls</li> <li>General protection equipment quantities of materials with critical values that have to be monitored at the workplace.</li> <li>Exposure controls</li> <li>General protection emasures</li> <li>Provide adequate traination. Hygien measures</li> </ul>	5.1	
Unsuitable extinguishing media for safety reasons           None.           Special hazards arising from the substance or mixture           May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.           5.3         Advice for firefighters           Wear self-contained breathing apparatus.           6.         ACCIDENTAL RELEASE MEASURES           6.1         Personal precautions, protective equipment and emergency procedures           Not required.         No special measures required.           6.3         Methods and material for containment and cleaning up           Pick up mechanically. Dispose of in accordance with regulations.           6.4         Reference to other sections           For information on personal protection equipment see Section 8.           For information on personal protection equipment see Section 13.           7.         HANDLING AND STORAGE           7.1         Precautions for safe handling           Safe handling advice         Only adequate trained persons may deal with product. For use in dentistry only.           Keep away from children.         Ensure the area is well ventilated.           No eating, drinking or smoking during handling with product.         Follow the usual good standards of occupational hygiene.           Information on fire and explosion protection         No special measures required. <th></th> <td></td>		
<ul> <li>None.</li> <li>Special hazards arising from the substance or mixture May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.</li> <li>Advice for firefighters Wear self-contained breathing apparatus.</li> <li>ACCIDENTAL RELEASE MEASURES</li> <li>Personal precautions, protective equipment and emergency procedures Not required.</li> <li>Environmental precautions No special measures required.</li> <li>Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.</li> <li>Reference to other sections For information on safe handling see Section 7. For information on safe handling see Section 13.</li> <li>HANDLING AND STORAGE</li> <li>THADLING AND STORAGE</li> <li>Precautions for safe handling Safe handling advice Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated. No eating, drinking or smoking during handling with product. Follow the usual good standards of occupational hygiene. Information on fire and explosion protection No special measures required.</li> <li>Conditions for safe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage.</li> <li>Specific end use(s) None.</li> <li>EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>Exposure outrols General protective measures Provide adequate ventilation. Hygiene measures</li> </ul>		
<ul> <li>5.2 Special hazards arising from the substance or mixture May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.</li> <li>5.3 Advice for firefighters Wear self-contained breathing apparatus.</li> <li>6. ACCIDENTAL RELEASE MEASURES</li> <li>6.1 Personal precautions, protective equipment and emergency procedures Not required.</li> <li>6.3 Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.</li> <li>6.4 Reference to other sections For information on safe handling see Section 7. For information on disposal information see section 13.</li> <li>7. HANDLING AND STORAGE</li> <li>7.1 Precautions for safe handling Safe handling advice Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated. No setting, drinking or smoking during handling with product. Follow the usual good stundards of occupational hygiene. Information on good stundards of occupational hygiene. Information for safe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage.</li> <li>7.3 Specific end use(s) None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls General protective measures Provide adequate ventilation. Hygine measures</li> </ul>		
May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.         3. Advice for firefighters <ul> <li>Wear self-contained breathing apparatus.</li> <li>ACCIDENTAL RELEASE MEASURES</li> <li>Personal precautions, protective equipment and emergency procedures         <ul> <li>Not required.</li> </ul> </li> <li>6.1 Personal precautions, protective equipment and emergency procedures         <ul> <li>Not required.</li> <li>6.2 Environmental precautions</li> <li>No special measures required.</li> <li>6.3 Methods and material for containment and cleaning up             <ul> <li>Prick up mechanically. Dispose of in accordance with regulations.</li> <li>6.4 Reference to other sections             <ul> <li>For information on safe handling see Section 7.</li> <li>For information on personal protection equipment see Section 8.</li> <li>For information on personal protection equipment see Section 13.</li> </ul> </li> <li>7. HANDLING AND STORAGE</li> </ul> </li> <li>7.1 Precautions for safe handling         <ul> <li>Safe handling advice</li> <li>Only adequate trained persons may deal with product. For use in dentistry only.</li> <li>Keep away from children.</li> <li>Ensure the area is well ventilated.</li> <li>No special measures required.</li> </ul> </li> <li>7.2 Conditions for safe storage, including any incompatibilities         <ul> <li>Storage</li> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> </ul> </li> <li>8.1 EXPOSURE CONTROLS /PERSONAL PROTECTION</li> </ul> </li> <li>8.1 Control parameters         <ul> <l< td=""><th></th><td></td></l<></ul></li></ul>		
decomposition.         5.3       Advice for firefighters         Wear self-contained breathing apparatus.         6.       ACCIDENTAL RELEASE MEASURES         6.1       Personal precautions, protective equipment and emergency procedures Not required.         6.2       Environmental precautions No special measures required.         6.3       Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.         6.4       Reference to other sections For information on personal protection equipment see Section 8. For information on personal protection equipment see Section 13.         7.       HANDLING AND STORAGE         7.1       Precautions for safe handling Safe handling advice Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated. No eating, drinking or smoking during handling with product. Follow the usual good standards of occupational hygiene. Information on fire and explosion protection No special measures required.         7.2       Conditions for safe storage areas Keep in dry storage.         7.3       Specific end use(s) None.         8.       EXPOSURE CONTROLS /PERSONAL PROTECTION         8.1       Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.         8.2       Exposure controls General p	5.2	
<ul> <li>5.3 Advice for firefighters <ul> <li>Wear self-contained breathing apparatus.</li> </ul> </li> <li>6. ACCIDENTAL RELEASE MEASURES</li> <li>6.1 Personal precautions, protective equipment and emergency procedures <ul> <li>Not required.</li> </ul> </li> <li>6.2 Environmental precautions <ul> <li>No special measures required.</li> </ul> </li> <li>6.3 Methods and material for containment and cleaning up <ul> <li>Pick up mechanically. Dispose of in accordance with regulations.</li> <li>6.4 Reference to other sections <ul> <li>For information on safe handling see Section 7.</li> <li>For information on personal protection equipment see Section 8.</li> <li>For information on gisposal information see section 13.</li> </ul> </li> <li>7. HANDLING AND STORAGE <ul> <li>7.1 Precautions for safe handling</li> <li>Safe handling advice</li> <li>Only adequate trained persons may deal with product. For use in dentistry only.</li> <li>Keep away from children.</li> <li>Ensure the area is well ventilated.</li> <li>No sepcial measures required.</li> </ul> </li> <li>7.2 Conditions for safe storage, including any incompatibilities <ul> <li>Storage</li> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> </ul> </li> <li>7.3 Specific end use(s) <ul> <li>None.</li> </ul> </li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8. EXPOSURE CONTROLS /PERSONAL P</li></ul></li></ul>		
Wear self-contained breathing apparatus.         6.       ACCIDENTAL RELEASE MEASURES         6.1       Personal precautions, protective equipment and emergency procedures Not required.         6.2       Environmental precautions No special measures required.         6.3       Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.         6.4       Reference to other sections For information on safe handling see Section 7. For information on safe handling see Section 13.         7.       HANDLING AND STORAGE         7.1       Precautions for safe handling Safe handling advice Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated. No eating, drinking or smoking during handling with product. Follow the usual good standards of occupational hygiene. Information on fire and explosion protection No special measures required.         7.2       Conditions for safe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage.         7.3       Specific end use(s) None.         8.       EXPOSURE CONTROLS /PERSONAL PROTECTION         8.1       Conditions on the inverted. The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.         8.2       Exposure controls General protective measures         9.1       Gontrol parameters Ingredients with limit values that require monitoring at the wo		
<ul> <li>ACCIDENTAL RELEASE MEASURES</li> <li>Personal precautions, protective equipment and emergency procedures Not required.</li> <li>Environmental precautions No special measures required.</li> <li>Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.</li> <li>Reference to other sections For information on safe handling see Section 7. For information on personal protection equipment see Section 8. For information on gensonal information see section 13.</li> <li>HANDLING AND STORAGE</li> <li>Precautions for safe handling Safe handling advice Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated. No cating, drinking or smoking during handling with product. Follow the usual good standards of occupational hygiene. Information on fire and explosion protection No special measures required.</li> <li>Conditions for safe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage.</li> <li>Specific end use(s) None.</li> <li>EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>Control parameters</li> <li>Control parameters</li> <li>Persoure on any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>Exposure controls General protective measures Provide adequate ventilation. Hygiene measures</li> </ul>	5.3	
<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures Not required.</li> <li>6.2 Environmental precautions No special measures required.</li> <li>6.3 Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.</li> <li>6.4 Reference to other sections For information on safe handling see Section 7. For information on personal protection equipment see Section 8. For information on disposal information see section 13.</li> <li>7. HANDLING AND STORAGE</li> <li>7.1 Precautions for safe handling Safe handling advice Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated. No cating, drinking or smoking during handling with product. Follow the usual good standards of occupational hygiene. Information on fire and explosion protection No special measures required.</li> <li>7.2 Conditions for safe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage.</li> <li>7.3 Specific end use(s) None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls General protective measures Provide adequate ventilation. Hygiene measures</li> </ul>		
<ul> <li>Not required. If the transmission of transmission of the transmission of transmission of</li></ul>		
<ul> <li>6.2 Environmental precautions No special measures required.</li> <li>6.3 Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.</li> <li>6.4 Reference to other sections For information on safe handling see Section 7. For information on personal protection equipment see Section 8. For information on disposal information see section 13.</li> <li>7. HANDLING AND STORAGE 7.1 Precautions for safe handling Safe handling advice Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated. No eating, drinking or smoking during handling with product. Follow the usual good standards of occupational hygiene. Information on fire and explosion protection No special measures required. 7.2 Conditions for safe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage. 7.3 Specific end use(s) None. 8. EXPOSURE CONTROLS /PERSONAL PROTECTION 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. 8.2 Exposure controls General protective measures Provide adequate ventilation. Hygiene measures</li> </ul>	6.1	
No special measures required. 6.3 Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations. 6.4 Reference to other sections For information on safe handling see Section 7. For information on personal protection equipment see Section 8. For information on disposal information see section 13. 7. HANDLING AND STORAGE 7.1 Precautions for safe handling Safe handling advice Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated. No eating, drinking or smoking during handling with product. Follow the usual good standards of occupational hygiene. Information on fire and explosion protection No special measures required. 7.2 Conditions for safe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage. 7.3 Specific end use(s) None. 8. EXPOSURE CONTROLS /PERSONAL PROTECTION 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. 8.2 Exposure controls General protective measures Provide adequate ventilation. Hygiene measures		
<ul> <li>6.3 Methods and material for containment and cleaning up Pick up mechanically. Dispose of in accordance with regulations.</li> <li>6.4 Reference to other sections For information on safe handling see Section 7. For information on personal protection equipment see Section 8. For information on disposal information see section 13.</li> <li>7. HANDLING AND STORAGE</li> <li>7.1 Precautions for safe handling Safe handling advice Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated. No eating, drinking or smoking during handling with product. Follow the usual good standards of occupational hygiene. Information on fire and explosion protection No special measures required.</li> <li>7.2 Conditions for safe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage.</li> <li>7.3 Specific end use(s) None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls General protective measures Provide adequate ventilation. Hygiene measures</li> </ul>	6.2	
<ul> <li>Pick up mechanically. Dispose of in accordance with regulations.</li> <li>6.4 Reference to other sections <ul> <li>For information on safe handling see Section 7.</li> <li>For information on personal protection equipment see Section 8.</li> <li>For information on disposal information see section 13.</li> </ul> </li> <li>7. HANDLING AND STORAGE <ul> <li>7.1 Precautions for safe handling</li> <li>Safe handling advice</li> <li>Only adequate trained persons may deal with product. For use in dentistry only.</li> <li>Keep away from children.</li> <li>Ensure the area is well ventilated.</li> <li>No eating, drinking or smoking during handling with product.</li> <li>Follow the usual good standards of occupational hygiene.</li> <li>Information on fire and explosion protection</li> <li>No special measures required.</li> </ul> </li> <li>7.2 Conditions for safe storage, including any incompatibilities <ul> <li>Storage</li> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> </ul> </li> <li>7.3 Specific end use(s) <ul> <li>None.</li> </ul> </li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters <ul> <li>Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> </ul> </li> <li>8.2 Exposure controls <ul> <li>General protective measures</li> <li>Provide adequate ventilation.</li> <li>Hygien measures</li> </ul> </li> </ul>		
<ul> <li>6.4 Reference to other sections <ul> <li>For information on safe handling see Section 7.</li> <li>For information on personal protection equipment see Section 8.</li> <li>For information on disposal information see section 13.</li> </ul> </li> <li>7. HANDLING AND STORAGE <ul> <li>7.1 Precautions for safe handling</li> <li>Safe handling advice</li> <li>Only adequate trained persons may deal with product. For use in dentistry only.</li> <li>Keep away from children.</li> <li>Ensure the area is well ventilated.</li> <li>No eating, drinking or smoking during handling with product.</li> <li>Follow the usual good standards of occupational hygiene.</li> <li>Information on fire and explosion protection</li> <li>No special measures required.</li> </ul> </li> <li>7.2 Conditions for safe storage, including any incompatibilities <ul> <li>Storage</li> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> </ul> </li> <li>7.3 Specific end use(s) <ul> <li>None.</li> </ul> </li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters <ul> <li>Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> </ul> </li> <li>8.2 Exposure controls <ul> <li>General protective measures</li> <li>Provide adequate ventilation.</li> <li>Hygiene measures</li> </ul> </li> </ul>	6.3	
<ul> <li>For information on safe handling see Section 7.</li> <li>For information on personal protection equipment see Section 8.</li> <li>For information on disposal information see section 13.</li> <li>7. HANDLING AND STORAGE</li> <li>7.1 Precautions for safe handling</li> <li>Safe handling advice</li> <li>Only adequate trained persons may deal with product. For use in dentistry only.</li> <li>Keep away from children.</li> <li>Ensure the area is well ventilated.</li> <li>No eating, drinking or smoking during handling with product.</li> <li>Follow the usual good standards of occupational hygiene.</li> <li>Information on fire and explosion protection</li> <li>No special measures required.</li> <li>7.2 Conditions for safe storage, including any incompatibilities</li> <li>Storage</li> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> <li>7.3 Specific end use(s)</li> <li>None.</li> <li>8.1 Control parameters</li> <li>Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls</li> <li>General protective measures</li> <li>Provide adequate ventilation.</li> <li>Hygiene measures</li> </ul>		
<ul> <li>For information on personal protection equipment see Section 8.</li> <li>For information on disposal information see section 13.</li> <li>7. HANDLING AND STORAGE</li> <li>7.1 Precautions for safe handling</li> <li>Safe handling advice</li> <li>Only adequate trained persons may deal with product. For use in dentistry only.</li> <li>Keep away from children.</li> <li>Ensure the area is well ventilated.</li> <li>No eating, drinking or smoking during handling with product.</li> <li>Follow the usual good standards of occupational hygiene.</li> <li>Information on fire and explosion protection</li> <li>No special measures required.</li> <li>7.2 Conditions for safe storage, including any incompatibilities</li> <li>Storage</li> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> <li>7.3 Specific end use(s)</li> <li>None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters</li> <li>Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls</li> <li>General protective measures</li> <li>Provide adequate ventilation.</li> <li>Hygiene measures</li> </ul>	6.4	
<ul> <li>For information on disposal information see section 13.</li> <li>7. HANDLING AND STORAGE</li> <li>7. Precautions for safe handling</li> <li>Safe handling advice</li> <li>Only adequate trained persons may deal with product. For use in dentistry only.</li> <li>Keep away from children.</li> <li>Ensure the area is well ventilated.</li> <li>No eating, drinking or smoking during handling with product.</li> <li>Follow the usual good standards of occupational hygiene.</li> <li>Information on fire and explosion protection</li> <li>No special measures required.</li> <li>7.2 Conditions for safe storage, including any incompatibilities</li> <li>Storage</li> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> <li>7.3 Specific end use(s)</li> <li>None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters</li> <li>Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls</li> <li>General protective measures</li> <li>Provide adequate ventilation.</li> <li>Hygiene measures</li> </ul>		For information on safe handling see Section 7.
<ul> <li>HANDLING AND STORAGE</li> <li>Precautions for safe handling Safe handling advice         <ul> <li>Only adequate trained persons may deal with product. For use in dentistry only.</li> <li>Keep away from children.</li> <li>Ensure the area is well ventilated.</li> <li>No eating, drinking or smoking during handling with product.</li> <li>Follow the usual good standards of occupational hygiene.</li> <li>Information on fire and explosion protection</li> <li>No special measures required.</li> </ul> </li> <li>Conditions for safe storage, including any incompatibilities</li> <li>Storage</li> <ul> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> </ul> <li>Specific end use(s)</li> <li>None.</li> <li>EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>Control parameters</li> <li>Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> </ul> <li>Exposure controls</li> <li>General protective measures</li> <li>Provide adequate ventilation.</li> <li>Hygiene measures</li>		For information on personal protection equipment see Section 8.
<ul> <li>7.1 Precautions for safe handling         Safe handling advice         Only adequate trained persons may deal with product. For use in dentistry only.         Keep away from children.         Ensure the area is well ventilated.         No eating, drinking or smoking during handling with product.         Follow the usual good standards of occupational hygiene.         Information on fire and explosion protection         No special measures required.         7.2 Conditions for safe storage, including any incompatibilities         Storage         Requirements for storage areas         Keep in dry storage.         7.3 Specific end use(s)         None.         8. EXPOSURE CONTROLS /PERSONAL PROTECTION         8.1 Control parameters         Ingredients with limit values that require monitoring at the workplace         The product does not contain any relevant quantities of materials with critical values that have to be         monitored at the workplace.         8.2 Exposure controls         General protective measures         Provide adequate ventilation.         Hygiene measures         August and additional protection         August adequate ventilation.         Hygiene measures         August adequate ventilation.         August adequate ventilation.         August adequate ventilation.         August additional protection         August adequate ventilation.         August adequate ventilation.         August additional protection         August additiona</li></ul>		For information on disposal information see section 13.
<ul> <li>Safe handling advice         <ul> <li>Only adequate trained persons may deal with product. For use in dentistry only.</li> <li>Keep away from children.</li> <li>Ensure the area is well ventilated.</li> <li>No eating, drinking or smoking during handling with product.</li> <li>Follow the usual good standards of occupational hygiene.</li> <li>Information on fire and explosion protection</li> <li>No special measures required.</li> </ul> </li> <li>7.2 Conditions for safe storage, including any incompatibilities</li> <li>Storage         <ul> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> </ul> </li> <li>7.3 Specific end use(s)         <ul> <li>None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters             <ul> <li>Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> </ul> </li> <li>8.2 Exposure controls         <ul> <li>General protective measures</li> <li>Provide adequate ventilation.</li> <li>Hygiene measures</li> </ul> </li> </ul></li></ul>	7.	HANDLING AND STORAGE
<ul> <li>Only adequate trained persons may deal with product. For use in dentistry only. Keep away from children. Ensure the area is well ventilated. No eating, drinking or smoking during handling with product. Follow the usual good standards of occupational hygiene. Information on fire and explosion protection No special measures required.</li> <li>7.2 Conditions for safe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage.</li> <li>7.3 Specific end use(s) None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls General protective measures Provide adequate ventilation. Hygiene measures</li> </ul>	7.1	Precautions for safe handling
<ul> <li>Keep away from children.</li> <li>Ensure the area is well ventilated.</li> <li>No eating, drinking or smoking during handling with product.</li> <li>Follow the usual good standards of occupational hygiene.</li> <li>Information on fire and explosion protection</li> <li>No special measures required.</li> </ul> 7.2 Conditions for safe storage, including any incompatibilities Storage <ul> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> </ul> 7.3 Specific end use(s) <ul> <li>None.</li> </ul> 8. EXPOSURE CONTROLS /PERSONAL PROTECTION 8.1 Control parameters <ul> <li>Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. 8.2 Exposure controls General protective measures Provide adequate ventilation. Hygiene measures</li></ul>		0
<ul> <li>Ensure the area is well ventilated.</li> <li>No eating, drinking or smoking during handling with product.</li> <li>Follow the usual good standards of occupational hygiene.</li> <li>Information on fire and explosion protection</li> <li>No special measures required.</li> <li>7.2 Conditions for safe storage, including any incompatibilities</li> <li>Storage</li> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> <li>7.3 Specific end use(s)</li> <li>None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters</li> <li>Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls</li> <li>General protective measures</li> <li>Provide adequate ventilation.</li> <li>Hygiene measures</li> </ul>		
<ul> <li>No eating, drinking or smoking during handling with product. Follow the usual good standards of occupational hygiene. Information on fire and explosion protection No special measures required.</li> <li>7.2 Conditions for safe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage.</li> <li>7.3 Specific end use(s) None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls General protective measures Provide adequate ventilation. Hygiene measures</li> </ul>		
<ul> <li>Follow the usual good standards of occupational hygiene.</li> <li>Information on fire and explosion protection <ul> <li>No special measures required.</li> </ul> </li> <li>7.2 Conditions for safe storage, including any incompatibilities <ul> <li>Storage</li> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> </ul> </li> <li>7.3 Specific end use(s) <ul> <li>None.</li> </ul> </li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters <ul> <li>Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> </ul> </li> <li>8.2 Exposure controls <ul> <li>General protective measures</li> <li>Provide adequate ventilation.</li> <li>Hygiene measures</li> </ul> </li> </ul>		Ensure the area is well ventilated.
Information on fire and explosion protection         No special measures required.         7.2       Conditions for safe storage, including any incompatibilities         Storage       Requirements for storage areas         Keep in dry storage.       7.3         7.3       Specific end use(s)         None.       8.         EXPOSURE CONTROLS /PERSONAL PROTECTION         8.1       Control parameters         Ingredients with limit values that require monitoring at the workplace         The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.         8.2       Exposure controls         General protective measures       Provide adequate ventilation.         Hygiene measures       Provide adequate ventilation.		No eating, drinking or smoking during handling with product.
<ul> <li>No special measures required.</li> <li>7.2 Conditions for safe storage, including any incompatibilities Storage Requirements for storage areas Keep in dry storage.</li> <li>7.3 Specific end use(s) None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls General protective measures Provide adequate ventilation. Hygiene measures</li> </ul>		Follow the usual good standards of occupational hygiene.
<ul> <li>7.2 Conditions for safe storage, including any incompatibilities         <ul> <li>Storage</li> <li>Requirements for storage areas</li> <li>Keep in dry storage.</li> </ul> </li> <li>7.3 Specific end use(s)         <ul> <li>None.</li> </ul> </li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters         <ul> <li>Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> </ul> </li> <li>8.2 Exposure controls         <ul> <li>General protective measures</li> <li>Provide adequate ventilation.</li> <li>Hygiene measures</li> </ul> </li> </ul>		Information on fire and explosion protection
<ul> <li>Storage         Requirements for storage areas         Keep in dry storage.     </li> <li>7.3 Specific end use(s)         None.     </li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION         <ul> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters</li></ul></li></ul>		
<ul> <li>Storage         Requirements for storage areas         Keep in dry storage.     </li> <li>7.3 Specific end use(s)         None.     </li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION         <ul> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters</li></ul></li></ul>	7.2	Conditions for safe storage, including any incompatibilities
<ul> <li>Keep in dry storage.</li> <li>7.3 Specific end use(s) None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls General protective measures Provide adequate ventilation. Hygiene measures</li> </ul>		Storage
<ul> <li>7.3 Specific end use(s) None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters Ingredients with limit values that require monitoring at the workplace The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls General protective measures Provide adequate ventilation. Hygiene measures</li> </ul>		Requirements for storage areas
<ul> <li>None.</li> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters         <ul> <li>Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> </ul> </li> <li>8.2 Exposure controls         <ul> <li>General protective measures</li> <li>Provide adequate ventilation.</li> <li>Hygiene measures</li> </ul> </li> </ul>		Keep in dry storage.
<ul> <li>8. EXPOSURE CONTROLS /PERSONAL PROTECTION</li> <li>8.1 Control parameters         <ul> <li>Ingredients with limit values that require monitoring at the workplace</li> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> </ul> </li> <li>8.2 Exposure controls         <ul> <li>General protective measures</li> <li>Provide adequate ventilation.</li> <li>Hygiene measures</li> </ul> </li> </ul>	7.3	Specific end use(s)
<ul> <li>8.1 Control parameters         Ingredients with limit values that require monitoring at the workplace         The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.     </li> <li>8.2 Exposure controls         General protective measures         Provide adequate ventilation.         Hygiene measures     </li> </ul>		None.
<ul> <li>Ingredients with limit values that require monitoring at the workplace         <ul> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> </ul> </li> <li>8.2 Exposure controls         <ul> <li>General protective measures</li> <li>Provide adequate ventilation.</li> <li>Hygiene measures</li> </ul> </li> </ul>	8.	EXPOSURE CONTROLS / PERSONAL PROTECTION
<ul> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls         General protective measures         Provide adequate ventilation.         Hygiene measures     </li> </ul>	8.1	Control parameters
<ul> <li>The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>8.2 Exposure controls         General protective measures         Provide adequate ventilation.         Hygiene measures     </li> </ul>		Ingredients with limit values that require monitoring at the workplace
8.2 Exposure controls General protective measures Provide adequate ventilation. Hygiene measures		
8.2 Exposure controls General protective measures Provide adequate ventilation. Hygiene measures		
<b>General protective measures</b> Provide adequate ventilation. <b>Hygiene measures</b>	8.2	*
Provide adequate ventilation. Hygiene measures		
Hygiene measures		

	Decrimetory protection
	Respiratory protection
	Avoid contact with powder generated by final working.
	Wear respiratory protective device in case of dust formation.
	Hand protection
	Not reguired.
	Eye protection
	Wear safety goggles during mechanical processing.
9.	PHYSICAL AND CHEMICAL PROPERTIES
9.1	Information on basic physical and chemical properties
	Appearance:
	Form: firm disc
	Colour: different colours
	Odour: odourless
	Changes in condition: /
	Melting point: Undetermined
	Boiling point: Undetermined
	Flash point: >250°C
	Ignition temperature: not applicable
	Lower explosion limit: not determined
	Upper explosion limit: not determined
	Vapour pressure: not applicable
	Density: 1,17 g/cm <sup>3</sup>
	Viscosity (dynamic): not applicable
	Solubility in water: insoluble
	pH – value: not applicable
9.2	Other information
9.2	None.
10.	STABILITY AND REACTIVITY
10.	Reactivity
10.1	No relevant information available.
10.2	
10.2	Chemical stability
10.2	The product is stable under normal handling and storage conditions.
10.3	Possibility of hazardous reactions
10.1	No hazardous reactions known.
10.4	Conditions to avoid
	Decompositions begins at appr. 250°C.
10.5	Incompatible materials
	No relevant information available.
10.6	Hazardous decomposition products
	None when used as prescribed.
	May be released in case of fire: carbon monoxide, carbon dioxide, organic products of
	decomposition
11.	TOXICOLOGICAL INFORMATION
	11.1 Information on toxicological effects
	Acute oral toxicity
	The similar product has been tested according to EN ISO 10993-5 (2009): Tests for in vitro
	cytotoxicity. The test article extract met the requirements of the EN ISO 10993-5 (2009).
	Irritation
	The similar product has been tested according to EN ISO 10993-10 (2010): Tests for irritation and
	skin sensitization. An intracutaneous irritation test by intradermal injection in the rabbit has been
	performed and the test article extract met the requirements of the ISO 10993-10 (2010).
	Sensitization
	The similar product has been tested according to EN ISO 10993-10 (2010): Tests for irritation and
	skin sensitization. According to the EN ISO 10993-10 (2010) the product did not induce delayed
	sensitization. According to the EN 150 10995-10 (2010) the product did not induce delayed sensitization.
1	50115111/2011011.

12.	ECOLOGICAL INFORMATION
12.1	Toxicity
	Hazardous to the aquatic environment: No further relevant information available, no evidence for
	hazardous properties
12.2	Persistence and degradability: No further relevant information available, no evidence for
	hazardous properties
12.3	Bioaccumulative potential: No further relevant information available, no evidence for hazardous
	properties
12.4	Mobility in soil: No further relevant information available, no evidence for hazardous properties
12.5	Results of PBT and vPvB assessment
	<b>PBT:</b> Not applicable.
	vPvB: Not applicable.
12.6	Other adverse effects: No further relevant information available.
13.	DISPOSAL CONSIDERATIONS
13.1	Waste treatment methods
	<b>Product:</b> Disposal should be made in accordance with local, state and national legislation.
	Uncleaned packaging: Disposal should be made in accordance with local, state and national
	legislation.
	Code of waste EWC: 18 01 07
14.	TRANSPORT INFORMATION
14.1	UN Number: see section 14.2
14.2	UN proper shipping name
	Land transport ADR: Not dangerous according to transport regulations.
	Land transport RID: Not dangerous according to transport regulations.
	Inland waterway transport ADN: Not dangerous according to transport regulations.
	Shipment by sea IMDG: Not dangerous according to transport regulations.
	Air transport ICAO/IATA: Not dangerous according to transport regulations.
14.3	Transport hazard class(es): see section 14.2
14.4	Packing group: see section 14.2
14.5	Environmental hazards: None.
14.6	Special precautions for user: see section 14.2
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: None.
14.8	Transport additional information: None
15.	REGULATORY INFORMATION
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
	National regulations
	Other regulations, limitations and prohibitive regulations
	The product is Class IIa medical device according to the EC Directive 93/42/EEC.
15.2	Chemical Safety Assessment
	A chemical safety assessment has not been carried out for this mixture.
16.	OTHER INFORMATION
	This information is based on our present knowledge and experience. They are intended as a
	description of the products safety requirements and are not to be seen as a quarantee of certain
	product's features.
	New versions of Safety Data Sheet will be <i>laying printed</i> for the data compared to the previous
	version altered.