PoliDentDocument: NAV-VL-30Image: Construction of the second sec

SAFETY DATA SHEET according to Regulation 1907/2006/EC **POLI SILICONE – component B**

Page 1 od 7

1.	Identification of the Substance / Preparation	and Company:
1.1	Product identifier:	
	Commercial product name:	POLI SILICONE KL – component B Duplicating silicone
1.2 Relevant identified uses of the substance or mixture and uses advised against:		ture and uses advised against:
	Identified uses:	Moulding diverse objects.
	Uses advised against:	None known.
1.3	Details of the supplier of the safety data sheet Manufacturer/Supplier:	
		POLIDENT D.O.O.
	Street / mailbox:	Volčja Draga 42
	Country code. / postal code / city:	5293 Volčja Draga, Slovenija
	Phone:	+386/ 5 330 48 40
	Fax:	+386/ 5 330 48 70
	E-mail / Website:	polident@polident.si / www.polident.si
	Further information obtainable from:	POLIDENT D.O.O.
1.4	Emergency telephone number	
	Polident d.o.o.:	+386 5 330 48 40

Hazards Identification: 2.

4.		
2.1.	Classification of the substance or mixture:	The product has not been classified as hazardous according to the legislation in force.
	Classification according to Regulation (EC) No 1272/2008 as amended.	Not classified
2.2	Label Elements: Hazard summary:	Not applicable
	Physical Hazards: Health Hazards:	No specific recommendations.
	Inhalation:	No specific symptoms noted.
	Eye contact:	No specific symptoms noted.
	Skin Contact:	No specific symptoms noted.
	Ingestion:	No specific symptoms noted.
	Other Health Effects:	No other information noted.
	Environmental hazards:	Not regarded as dangerous for the environment.
2.3	Other hazards:	No data available.

3. 3.2 Composition / Information on Ingredients:

Mixtures

General information:		Ν	lixture of organo	osiloxanes, additive	S.	
Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
Dodecamethylcycloh exasiloxane	0,1 - <1%	540-97-6	208-762-8	01- 2119517435- 42-0002	No data available.	vPvB
Decamethylcyclopent asiloxane	0,1 - <1%	541-02-6	208-764-9	01- 2119511367- 43-0003	No data available.	vPvB

All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This substance has workplace exposure limit(s).

Classification		
Chemical name	Classification	Notes

SAFETY DATA SHEET according to Regulation 1907/2006/EC POLI SILICONE – component B

Page 2 od 7

	Dodecamethylcyclohexasiloxane	None known.	No data available.
	Decamethylcyclopentasiloxane	None known.	No data available.
	CLP: Regulation No. 1272/2008.		
	The full text for all H-statements is displayed in section 16.		
4.	First aid measures:		
	General:	Get medical	attention if symptoms occur. Contaminated
			placed in closed container until disposal or
		decontamina	tion.
4.1	Description of first aid measures:		
	Inhalation:	Not relevant.	aminated elething and abase. Weah with each
	Skin Contact:	and water.	aminated clothing and shoes. Wash with soap
	Eye contact:		of contact with the eyes, rinse thoroughly with
	,		Continue to rinse for at least 15 minutes.
	Ingestion:		e vomiting. Rinse mouth thoroughly.
4.2	Most important symptoms and effect	s, both None known.	
4.3	acute and delayed:	attention and anapial trace	tment needed
4.3	Indication of any immediate medical Hazards:	No special trea	ecommendations.
	Treatment:		ecommendations.
		· ·	
5.	Fire Fighting measures:		
Г 4	General Fire Hazards:	No specific re	ecommendations.
5.1	Extinguishing media Suitable extinguishing media:	Foom Powd	er. Carbon dioxide (CO2).
	Unsuitable extinguishing		ater jet as an extinguisher, as this will spread
	media:	the fire. Alkal	
5.2	Special hazards arising from the sub	stance or This product	may generate hydrogen gas. Vapors may form
	mixture:		ctures with air. For further information, refer to
ΕQ	Advise for fireficitors.		Stability and Reactivity".
5.3	Advice for firefighters: Special firefighting procedures:	vvaler spray	should be used to cool containers.
	Special protective equipment for fire-	fighters: Self-containe	d breathing apparatus and full protective
			be worn in case of fire. Use standard firefighting
		•	nd consider the hazards of other involved
		materials.	
6.	Accidental release measures:		
6.1	Personal precautions, protective equ		
	For non-emergency		riate personal protective equipment. See Section
	personnel:		for Personal Protective Equipment. Keep away and caustic products. Eliminate all sources of
		ignition.	and saustic products. Liminate all sources of
	For emergency	No data avail	able.
	responders:		
6.2	Environmental Precautions:		ge. Prevent entry into waterways, sewer,
			r confined areas. Mechanically ventilate the
		spillage area concentratior	to prevent the formation of explosive
6.3	Methods and material for containmer		ith collected spillage must be properly labelled
0.0	cleaning up:		contents and hazard symbol. Container must be
	~ .	kept tightly cl	osed. Absorb with sand or other inert absorbent.
			floor and all objects contaminated by this
			an appropriate solvent (cf.: § 9) Flush area with
61	Reference to other sections:		er. Incinerate in suitable combustion chamber.
6.4			taminated surfaces may be slippery. For waste Section 13 of the SDS.
7.	Handling and Storage:		

PoliDent Document: NAV-VL-30 Revision:01, 21.11.2019

SAFETY DATA SHEET according to Regulation 1907/2006/EC

POLI SILICONE – component B

Page 3 od 7

7.1	Precautions for safe handling	Use mechanical ventilation in case of handling which causes formation of vapours. Do not mix with Incompatible materials. For further information, refer to section 10: "Stability and Reactivity". Read and follow manufacturer's recommendations.
7.2	Conditions for safe storage, including any incompatibilities:	Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures. Store in tightly closed original container equipped with a degassing device. Suitable containers: polyethylene. Steel drums coated with epoxy-resin.
7.3	Specific end use(s):	No data available.
8. 8.1	Exposure controls / Personal protection:	
8.1	Control Parameters:	
8.2	Occupational Exposure Limits: Exposure controls:	None of the components have assigned exposure limits.
	Appropriate engineering controls:	Avoid inhalation of vapours and spray mists.
	Individual protection measures, such as persor	
	General information:	Provide sufficient ventilation during operations which cause
		vapour formation.
	Eye/face protection:	Safety Glasses.
	Skin protection:	Material: Nitrile.
	Hand Protection:	Material: Polyvinyl chloride (PVC). Material: Rubber or plastic.
	Other:	It is a good industrial hygiene practice to minimize skin contact. Wear suitable protective clothing.
	Respiratory Protection:	No specific precautions.
	Hygiene measures:	Provide eyewash station and safety shower.
	Environmental Controls:	No data available.
9.	Physical and chemical properties:	
9. 9.1	Information on basic physical and chemical pro	perties
	Physical state:	Liquid
	Form:	Viscous
	Colour:	Pink
	Odour:	Odourless
	Odour threshold:	No data available.
	pH-Value:	Not applicable.
	Freezing point:	No data available.
	Boiling Point: Flash Point:	No data available. > 200 °C (Closed cup according to mothed ASTM D 56.)
	Evaporation Rate:	> 200 °C (Closed cup according to method ASTM D-56.) No data available.
	Flammability (solid, gas):	No data available.
	Flammability Limit - Upper (%)–:	74 %(V) Hydrogen.
	Flammability Limit - Lower (%)–:	4 %(V) Hydrogen.
	Vapour pressure:	< 0,1 hPa (20 °C)
	Vapour density (air=1):	No data available.
	Relative density: Solubility(ies):	Approximate 1,05 kg/dm3 (20 °C)
	Solubility in Water:	Practically Insoluble
	Solubility (other):	Diethylether: Miscible (in all proportions).
		Aliphatic hydrocarbons: Miscible (in all proportions). Aromatic hydrocarbons: Miscible (in all proportions). Chlorinated solvents: Miscible (in all proportions).
		Acetone: Very slightly soluble.
		Ethanol: Very slightly soluble.
	Partition coefficient (n-octanol/water):	No data available.
	Autoignition Temperature:	$500 ^{\circ}\text{C}$ Hydrogen > $400 ^{\circ}\text{C}$

500 °C Hydrogen. > 400 °C

Partition coefficient (n-octanol/water): Autoignition Temperature:

DaliD	ont Document: NAV VI 30	according to Pogulation
POID	Ent Document: NAV-VL-30	according to Regulation
ଭ	Revision:01, 21.11.2019	1907/2006/EC
		POLI SILICONE – component B Page 4 od 7
	Decomposition Temperature:	> 200 °C
	Viscosity:	5 000 mm2/s (20°C)
	Explosive properties:	No data available.
	Oxidizing properties:	According to the data on the components Not considered as
		oxidising. (evaluation by structure-activity relationship)
9.2	Other information:	No data available.
10.	Stability and Reactivity:	
0.1	Reactivity:	No other information noted.
10.2	Chemical Stability:	Material is stable under normal conditions.
10.3	Possibility of hazardous reactions:	This product may generate hydrogen gas.
	Conditions to avoid:	No other information noted.
10.5	Incompatible Materials:	A fire or explosion hazard arises because highly flammable
		gas (hydrogen) is released when it is in contact with : Stron
		oxidizing agents. Alkalis and caustic products. Chemical
		compounds with mobile hydrogen, in the presence of metal
		salts and complexes.
10.6	Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon
10.0		oxides and other toxic gases or vapours. Amorphous silica.
		Quantity of hydrogen potentially released (I/kg of product):
1.	Toxicological Information:	
	Information on likely routes of exposu	re
	Inhalation:	No effects expected (assessment based on ingredients).
	Ingestion:	No effects expected (assessment based on ingredients).
	Skin Contact:	No effects expected (assessment based on ingredients).
	Eye contact:	No effects expected (assessment based on ingredients).
11.1		
	Acute Toxicity:	
	Oral:	
		Not classified for equite toxicity based on evoilable date
	Product:	Not classified for acute toxicity based on available data.
	Dermal: Product:	Net electified for equite toxicity becader evolution date
		Not classified for acute toxicity based on available data.
	Inhalation:	Composition/information on ingradiante
	Product:	Composition/information on ingredients
	Specified substance(s):	
	Decamethylcyclopentasiloxane:	LC 50 (Rat): 8,67 mg/l
	Repeated Dose Toxicity:	
	Product:	Composition/information on ingredients
	Specified substance(s):	
	Dodecamethylcyclohexasiloxane:	NOAEL (Rat, Oral): >= 1 000 mg/kg Method: OECD 422
		NOAEL (Rat, Inhalation - vapor): 0,0182 mg/l
		Method: OECD 413
	Decamethylcyclopentasiloxane:	NOAEL (Rat, Oral): >= 1 000 mg/kg
		NOAEL (Rat, Inhalation - vapor): $>= 2,42 \text{ mg/l}$
		NOAEL (Rat, Initialition - vapor): $r = 2,72$ mg/r NOAEL (Rat, Dermal): >= 1 600 mg/kg
	Skin Corrosion/Irritation:	NOALE (Nat, Dennar). > - 1 000 mg/kg
	Product:	Composition/information on ingredients
	Specified substance(s):	OECD 404 (Babbit) . Not imitation
	Dodecamethylcyclohexasiloxane:	OECD 404 (Rabbit) : Not irritating
	Decamethylcyclopentasiloxane:	Rabbit : Not irritating
	Serious Eye Damage/Eye Irritation:	
	Product:	Composition/information on ingredients
	Specified substance(s):	
	Dodecamethylcyclohexasiloxane:	OECD 405 (Rabbit) : Not irritating
	Decamethylcyclopentasiloxane:	Rabbit : Not irritating
	Respiratory or Skin Sensitization:	-
		Composition/information on ingredients
	Product: Specified substance(s):	Composition/information on ingredients

SAFETY DATA SHEET

PoliDent Document: NAV-VL-30

ក្ត

Revision:01, 21.11.2019

SAFETY DATA SHEET according to Regulation 1907/2006/EC POLI SILICONE – component B

Page 5 od 7

OECD 406 (Guinea Pig): Not a skin sensitizer. Dodecamethylcyclohexasiloxane: Decamethylcyclopentasiloxane: Not a skin sensitizer. Germ Cell Mutagenicity: In vitro: Product: Composition/information on ingredients Specified substance(s): Dodecamethylcyclohexasiloxane: Mouse lymphoma cells (OECD 476): negative with and without metabolic activation Bacteria (OECD 471): negative with and without metabolic activation Decamethylcyclopentasiloxane: Chromosomal aberration: No mutagenic components identified. Bacteria: No mutagenic components identified. In vivo: Product: Composition/information on ingredients Specified substance(s): Dodecamethylcyclohexasiloxane: Mammalian erythrocyte micronucleus test (OECD 474): No mutagenic effects. No effects expected. Decamethylcyclopentasiloxane: Carcinogenicity: Product: No data available. Reproductive Toxicity (Fertility): Product: Composition/information on ingredients Specified substance(s): Dodecamethylcyclohexasiloxane: Reproduction/developmental toxicity screening test. Rat (Gavage (Oral)): NOAEL (parent): >= 1 000 mg/kg NOAEL (F1):>= 1 000 mg/kg NOAEL (F2): Method: OECD 422 Fertility study 2 generations. Rat (Inhalation): NOAEL Decamethylcyclopentasiloxane: (parent): 3,64 mg/I NOAEL (F1):None. NOAEL (F2): None. Method: OECD 416 Developmental Toxicity (Teratogenicity): Product: Composition/information on ingredients Specified substance(s): Dodecamethylcyclohexasiloxane: Rabbit NOAEL (terato): >= 1 000 mg/kg NOAEL (mater): >= 1 000 mg/kg Method: OECD 414 Rat NOAEL (terato): >= 1 000 mg/kg NOAEL (mater): >= 1 000 mg/kg Method: OECD 414 Specific Target Organ Toxicity - Single Exposure: Product: No data available. Specified substance(s): Dodecamethylcyclohexasiloxane: Based on available data, the classification criteria are not met. Specific Target Organ Toxicity - Repeated Exposure: Product: No data available. Specified substance(s): Dodecamethylcyclohexasiloxane: Based on available data, the classification criteria are not met. Aspiration Hazard: No data available. Product: **Ecological Information:** 12. 12.1 Toxicity:

Acute toxicity: Fish: Product: Aquatic Invertebrates:

No data available.

PoliDentDocument: NAV-VL-30Image: Construction of the second sec

SAFETY DATA SHEET according to Regulation 1907/2006/EC POLI SILICONE – component B

Page 6 od 7

	Product: Chronic Toxicity:	No data available.
	Fish: Product: Specified substance(s):	Composition/information on ingredients
	Decamethylcyclopentasiloxane: Aquatic Invertebrates:	NOEC (Oncorhynchus mykiss, 90 d): >= 0,014 mg/l
	Product: Specified substance(s):	Composition/information on ingredients
	Dodecamethylcyclohexasiloxane:	NOEC (Water flea (Daphnia magna), 21 d): >= 0,0046 mg/l
	Toxicity to Aquatic Plants: Product: Specified substance(s):	Composition/information on ingredients
	Dodecamethylcyclohexasiloxane:	NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 0,002 mg/l EC 50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 0,002 mg/l
12.2	Persistence and Degradability: Biodegradation:	
	Product: Specified substance(s):	Composition/information on ingredients
	Dodecamethylcyclohexasiloxane:	4,5 % (28 d, OECD 310) The product is not readily biodegradable.
	Decamethylcyclopentasiloxane: BOD/COD Ratio:	0,14 % (28 d) The product is not readily biodegradable.
12.3		No data available.
	Product: Specified substance(s):	Composition/information on ingredients
	Dodecamethylcyclohexasiloxane: Decamethylcyclopentasiloxane:	Fathead Minnow, Bioconcentration Factor (BCF): 2 860 (OECD 305) Has the potential to bioaccumulate. Fathead Minnow, Bioconcentration Factor (BCF): 7 060
	Mobility in Soil: Results of PBT and vPvB assessment:	No data available.
12.5	Dodecamethylcyclohexasiloxane Decamethylcyclopentasiloxane	Meets vPvB criteria REACH (1907/2006) Ax XIII Meets vPvB criteria REACH (1907/2006) Ax XIII
12.6	Other Adverse Effects:	No data available.
13.	Disposal Considerations:	
13.1	Waste treatment methods General information:	The user's attention is drawn to the possible existence of
	General mormation.	local regulations regarding disposal.
	Disposal methods:	
	Disposal instructions:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Waste of this material chauld not be mixed with other waste. Provide
		material should not be mixed with other waste. Provide measures such as vented bungs to ensure pressure relief in the waste container.
	Contaminated Packaging:	Contaminated packages should be as empty as possible. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Recycle following cleaning or dispose of at an authorised site.
14.	Transport Information:	
	This material is not subject to transport	
	Other information:	Warning Packaging with a breathing/venting bung are FORBIDDEN for transport by air.
14.7	Transport in bulk according to Annex II	

Revision:01, 21.11.2019

SAFETY DATA SHEET according to Regulation 1907/2006/EC POLI SILICONE – component B

Page 7 od 7

MARPOL73/78 and the IBC Code:

15.	Regulatory Information:	
15.	Safety, health and environmental regulations/	legislation specific for the substance or mixture
15.2	Chemical safety assessment:	No Chemical Safety Assessment has been carried out.
	Inventory Status	
	Australia AICS:	Not in compliance with the inventory.
	Canada DSL Inventory List:	Not in compliance with the inventory.
	EU EINECS List:	On or in compliance with the inventory.
	Japan (ENCS) List:	Not in compliance with the inventory.
	China Inv. Existing Chemical Substances:	On or in compliance with the inventory.
	Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
	Philippines PICCS:	Not in compliance with the inventory.
	US TSCA Inventory:	On or in compliance with the inventory.
	New Zealand Inventory of Chemicals:	Not in compliance with the inventory.
16.	Other Information:	
	Revision Information:	Not relevant.
	References	

References	
PBT	PBT: persistent, bioaccumulative and toxic substance.
vPvB	vPvB: very persistent and very bioaccumulative substance.
Key abbreviations or acronyms used:	No data available.
Key literature references and sources for data:	No data available.
Wording of H-statements in section 2 and 3:	None
Training information:	No data available.

Disclaimer:

The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment