

Products Catalog



PoliDent

since 1958

Your Flexible and Reliable Partner

60 YEARS OF EXCELLENCE
IN-HOUSE DEVELOPMENT
MADE IN SLOVENIA, EUROPE





PoliDent

01	ABOUT POLIDENT	06
H	ARTIFICIAL ACRYLIC TEETH	<u>80 </u>
	Ref-Line	10
	Primodent	20
	Cross Linked 2	30
P		
	CAD-CAM DISCS & ACCESSOIRES	36
	01 POLIDENT PMMA CAD-CAM DISC	38
	basic	39
	multilayer	40
	02 POLIDENT PINK CAD-CAM DISC	41
	basic	41
	03 POLIDENT CASTING CAD-CAM DISC	42
	04 POLIDENT MODEL CAD-CAM DISC	42
	05 POLIDENT X-RAY CAD-CAM DISC	43
	06 POLICUTTER MILLING TOOLS	44
	mental and a second a second and a second an	
	LABORATORY MATERIAL	46
	01 ACRYLICS	48
	Polihot	48
	Policold	48
	K-30 S	49
	Polirepar S	49
	Ortopoli	50
	Politray	50
	Unitray LC	51
	Politemp	51

02 INVESTMENT MATERIALS	52
Polivest	52
Politerm Speed	52
Univecast	53
Polipress	53
O3 CORUNDUM	54
04 SILICONES	54
O5 DENTAL PLASTERS	56
Alabaster	56
Polidur	56
Polistone	57
PrimaArt	57
PrimaRock	57
O6 PUMICE	58
O7 BRUSHES	58



SURGERY MATERIAL	MK.	60
OI DISPOSABLE PRODUCTS	Y	62
Protective medical gloves		62
Protective medical Apron		63
MADIZET COVEDACE		6/1







Dental products industry

We have been present on the market since 1958.

Our team has expanded to 130 employees and together with our young, flexible and goal-oriented management, we strive for quality and innovation in our products. We are also proud of the fact that the entire production process – from design to the final product – is still taking place here in Slovenia. We constantly invest in modernization, and due to increased needs, we have add a new warehouse and will expand the production in the next two years.

We sell our products in over 60 countries around the world. First-class quality of our products puts us alongside the leading global companies in the dental industry.





If am proud to be the head of a company that is in its 60th year of operation. Over the years we gained much experience, learnt many things and were led by the desire to create high-quality dental products with which we want to offer our customers the best care and aesthetically perfected solutions.

CAs a producer of dental products, we have strived to position ourselves in a premium class with our products, particularly our newest ones, and therefore be in direct competition with the leading dental companies.

Looking forward, we will continue to produce products that are used in dentistry, with an emphasis on dental prosthetics. We want to ensure the continuous growth and development of the company, increasing the recognition of our own brands, the continued development of products, as well as the continuous improvement of existing products and services.

At this point I must also point out the contribution of our employees, who, with their work, make the existence and operations of the company possible – thanks to the carefully selected management team, which is distinguished by its many years of experience and motivation to make changes and develop. To stay on the cutting edge, we invest in additional training and education to add to our expertise.

In conclusion I would like to thank everyone who worked together with us over the years and I very much look forward to the next 60 years, when we will reach even more milestones in the dental industry.

Managing Director Dani Pececnik





Through the development, production and selling of teeth we consider the requirements of relevant internationally recognized standards and other legal requirements.



Artificial acrylic teeth

- 01 Ref Line
- 02 Primodent
- 03 Cross Linked 2





Christian Wibberley CW Dentures In Oldham, England



Thank you for sharing your work with us. Well done!



John Winter sent us the following images...

Stephen Morman
Sparkle Dental Lab in Bolton, England













HIGH END ANATOMICALLY SHAPED MULTI-LAYER TOOTH LINE FOR NEW GENERATION PROSTHESES

Natural colour and shape

- natural morphology of tooth surface
- incisal cracks and minor irregularities
- transparent incisal area
- visible mamelons
- intensive chromaticity of the gingival region
- including cervical wider shapes of tooth designs for covering metal structures in implants and partial prostheses
- obscured fissural zones on the occlusal surface
- anatomically designed pronounced cusps assure the main taining of the natural tooth appearance and structure in individual matching with the antagonists

Brand new production technology

- perfection of tooth design
- retention opening on the lower part of transcanine teeth provides for easier and faster work


New material

- 50% improvement in tooth wear*
- 15% improved hardness*
- elasticity remains unchanged*

*compared to the existing material















BL1 - BL3
A1 - A2 - A3 - A3,5 - A4
B1 - B2 - B3 - B4
C1 - C2 - C3 - C4
D2 - D3 - D4

SHADES








			a
	a -		b
M1 a 40,8 b 8,7 c 7,5	1		
M3 a 43,2 b 9,7 c 8,2	1		
M4 a 45,3 b 9,9 c 8,5	•		
M6 a 49,1 b 10,5 c 9,1	1	88888	
a 44,1 b 9,9 c 8,3	•	0000	
k4 a 46,1 b 10,3 c 8,7	•	50660	
K6			









- **V**3

- V4

- V6


- **V8**

- U3 34,1 8,4
- U4 35,9
- U6


- GALLAG

PoliDent































WHY REF-LINE TEETH ARE THE BEST CHOICE IN THE RANGE OF ANATOMIC MULTI-LAYER COMPOSITE TEETH

First advantage is in the basic development concept. Ref-line teeth were developed by an in-house technician who works in close relationship with company's tool-makers. We can say that Ref-line teeth were carefully designed by a dental technician for dental technicians. The tooth shapes, surface texture, internal layering system and shading, mamelons, micro cracks and smaller imperfections were all taken under consideration with no compromise to make the tooth line as close as possible to natural teeth. It is a perfect combination of natural shapes with high-end digital production technologies, new production processes and the newest material development enclosed in one product.

Completely new high anatomical shapes were taken directly from natural teeth. Physical and digital modeling was done by a dental technician with the best compromise between the natural tooth shape and production mold. Even the finest details were enhanced. New layering and shading system with intensive cervical and dentin color and whitish translucent enamel allows high customization and different color effects by only grinding the enamel layer. The high color intensity assures color stability even with exportation of bigger amounts and has mask functionality over metal substructures. Darker canines, darker cervical areas, mamelons, mesial and distal transparency makes dentures look just real.

The bottom of the tooth follows the shape of the gum, therefore very little to no grinding at all is necessary to set up a tooth. And even in really tight conditions with little height there is a cervical opening at the bottom of posterior teeth that reduces/limits the grinding to the outer border therefore with big time savings. The bottom opening was designed to facilitate the modeling of retentions in implant supported dentures and facilitates the creation of teeth retentions with thermo-injected non PMMA denture base materials. Anterior teeth are subdivided in different categories by application. Wide necks of some anterior teeth allow full coverage of metal substructures in combined work and/or on implant supported dentures. Extremely aesthetically and perfected tooth design was supplemented with advanced material. In the development of the material we followed guidelines of chemical findings and avoided the mistakes made by different producers evident from the market. New composite acrylic material is composed of pre-cross-linked polymer and the matrix reinforced by inorganic micro-fillers. Compared to conventional acrylic, the new Ref-line material offers an improved resistance to the mechanical wear (50% improvement), higher hardness (15% improvement) by unchanged elasticity, good resistance to plaque adhesion, color stability, excellent polishing properties and still perfect adhesion to denture base materials due to controlled use of silanized composite particles. Together with newly designed molds for material injection and improved production process we ensure production of exact, compact and perfectly shaped teeth. Due to our continuous injection production technology density of material is much higher in comparison with conventional techniques and tooth layers are not only chemically but also physically pressed into each other. No bubbles, no shrinkage, no excess material ensures constant repeatability which is crucial in digital dentures design.

Our main achievements, are natural look, high color stability of composite material and no cracking due to use of silanized composite particles which are chemically bonded to acrylic matrix. At the same time we developed advanced tooth molds to inject material inside which enables us to prevent air bubbles and natural shrinkage of material during heating and therefore all produced Ref-line tooth shapes are perfectly repeatable.

Dentures made with REF-LINE®

Chris Urist Primotec USA sent us the following images...



Arian Deutsch, CDT. Lab is Deutsch Dental Arts in USA CW



Thank you for sharing your work with us. We love it!








- high aesthetics three layers acrylic teeth
- 100% developed, produced and controlled in Slovenia EU
- excellent mechanical properties, high resistance to abrasion
- colour stabillity from batch to batch
- heat stability
- licensed by FDA and Health Canada


PRIMODENT CONSISTS OF 45 SETS OF TEETH

- 27 sets of upper anterior teeth (oval, square and triangular group)
- 10 sets of lower anterior teeth
- 8 sets of posterior teeth
- available in 19 Primodent and 17 Primodent-V shades









colors

BL3 A1 - A2 - A3 - A3,5 - A4 B1 - B2 - B3 - B4 C1 - C2 - C3 - C4 D2 - D3 - D4

YO - Y1 -Y2 - Y3 - Y4 - Y5 - Y6 B1 - B2 - B3 - B4 - B5 - B6 G1 - G2 - G3 - G4 - G5 - G6







PoliDent











CERVICAL WIDER SHAPE ALSO SUITABLE FOR IMPLANTS








primodent ® For beautiful smil







- TOP QUALITY two layers acrylic teeth
- 100% developed, produced and controlled in Slovenia EU
- color stability from batch to batch
- heat stability
- licensed by FDA and Health Canada

CROSS LINKED 2 CONSISTS OF 31 SETS OF TEETH

- 18 sets of upper anterior teeth (oval, square and triangular group)
- 7 sets of lower anterior teeth
- 6 sets of posterior teeth
- available in 17 shades







		V	
A	31 32	I1 I2, I3	T1 T1 , T2
	33 34	12, 13 13, 14	T2, T3 T2, T3, T4
	35 36	13, 14, 15 14, 15	T3, T4
	37	15, 16	T4, T6
0	01 02		T1 T1, T2, T3
	03 04	13, 14 14, 15	T3, T4 T3, T5
	05 06	15, 16 16, 17	T3, T4, T5 T5, T6
4	41	11	TI
	42 43	13, 14 13, 14	T2, T3 T3, T4
	44 45	15, 16 15, 16	T3, T4, T5, T6 T4, T5

colors


BL3 A1 - A2 - A3 - A3,5 - A4 B1 - B2 - B3 - B4 C1 - C2 - C3 - C4 D2 - D3 - D4






		<u>а</u> <u>b</u> с
	•	31 38,6 8,9 7,2
	1	32 41,5 9,5 7,9
SLAAL	V	33 42,0 10,5 8,2
*********	•	34 43,5 9,4 8,0
	1	35 44,1 10,2 8,4
	1	36 44,9 10,4 8,5
	•	46,5 10,8 8.7

CROSS LINKED2










PoliDent







- O1 Polident PMMA CAD-CAM disc basic, multilayer
- O2 Polident Pink CAD-CAM disc
- 03 Polident Casting CAD-CAM disc
- 04 Polident Model CAD-CAM disc
- 05 Polident X-ray CAD-CAM disc
- 06 PoliCUTTER milling tools





PoliDent

Suitable for fabrication of temporary crowns and bridges and for verifying the bridge on the plaster model/ in mouth before the final ZrO2 milling process

Vickers hardness: min 26 HV. Flexural strength: min. 114 MPa. E-Module: min. 2771

MPa. Residual monomer < 1%.

Characteristics:

Diameter: 98,5mm shoulder, 95mm Z, 100 mm AG. Thickness: 12, 14, 15, 16, 18, 20, 25,

30, 35 mm.

temporary crowns and bridges, verification of the bridge on the plaster model/ mouth Indications:

A1, A2, A3, B1, B2, B3, BL1, BL2, BL3

Colors: enamel colours: E1, E2

CLEAR, BERRY, BLUE, GREEN, ORANGE

Upon request we can supply also other shapes, diameters and/or designs.



Discs POLIDENT PMMA CAD-CAM DISC

PoliDent PMMA CAD-CAMalése MULTILAYER

Multi-layered, pre-coloured PMMA discs for making temporary crowns and bridges. A multi-layered disc is composed of five shades of colour with gentle colour transitions that give it a natural look.

Vickers hardness: min 26 HV. Flexural

strength: min. 114 MPa. E-Module: min. 2771

Characteristics: MPa. Residual monomer < 1%.

Diameter: 98,5mm shoulder, 95mm Z, 100 mm AG. Thickness: 15, 16, 18, 20 mm.

Indications: temporary crowns and bridges

Colors: A1, A2, A3, B1

The multi-colored disc consists of five color shades with gentle color transitions that provide a natural look



POLIDENT PINK CAD-CAM DISC

PoliDent PINK CAD-CAMdise BASIC

Can be used to mill digitally designed highly esthetic and functional dentures

> Vickers hardness: min 26 HV. Flexural strength: min. 114 MPa. E-Module: min. 2771

MPa. Residual monomer < 1%. Characteristics:


Diameter: 98,5mm shoulder, 95mm Z, 100 mm AG. Thickness: 25, 27, 30 mm.

full dentures, partial dentures, temporary Indications:

immediate load implant dentures

Colors: pink, pink veined







POLIDENT CASTING CAD-CAM DISC

PoliDent

CASTING CAD-CAMdise

Can be used for milling castable frameworks for metal casting and castable layers for press ceramic

Characteristics:

Produced of 100% organic material that burns-out without any residual ash. Diameter: 98,5mm shoulder, 95mm Z, 100 mm AG. Thickness: 12, 15, 18, 20, 25, 30 mm. Colour: transparent.

Indications:

milling frameworks for casting, milling castable layers for press ceramic, verifying frameworks on plaster model before final ZrO₂ milling (especially recommended for larger ZrO, frameworks)



POLIDENT MODEL CAD-CAM DISC

PoliDent

MODEL CAD-CAMdise

Suitable for milling dental models

This is a special, highly-compressed material with exceptional abrasion resistance. The model doesn't absorbe liquids so it is recommended for ceramic layering. Nevertheless, it has excellent Characteristics: milling ability. Available in two densities.

Diameter: 98,5mm shoulder, 95mm Z, 100

mm AG. Thickness: 25 mm.

Indications:

Milling of stumps/ dies, working models and antagonists. Digital models are CAD designed from 3D data acquired with a wide range of digital impression-taking solutions.







Discs POLIDENT X-RAY CAD-CAM DISC

PoliDent

X-RAY CAD-CAMdise

X-ray visible disc used for milling diagnostic stents for implant planning

Contains X-ray visible powder. Homogeneous

mix ensures best visibility.

Characteristics: Prevents light scattering.

Diameter: 98,5mm shoulder, 95mm Z, 100 mm AG. Thickness: 12, 14, 15, 16, 18, 20, 25 mm.

allows visibility of teeth setup in the X-ray CAT scan for implant planning and Indications:

determination





Discs & accessoires POLICUTTER MILLING TOOLS

PoliDent

policulter milling tools

USE FOR: PMMA DISCS

	art.nr.	head dia. mm	shank dia. mm	overal lenght mm	use for
AMANN GIRRBACH	15724	1.0	3.0	47	PMMA
	15725	2.5	3.0	47	PMMA
	15726	0.6	3.0	47	PMMA
IMES ICORE	15727	1.0	3.0	48	PMMA
	15728	2.5	3.0	48	PMMA
	15729	0.6	3.0	48	PMMA
VHF	15730	1.0	3.0	35	PMMA
	15731	2.0	3.0	35	PMMA
	15732	0.6	3.0	35	PMMA
ZIRKONZAHN	15733	1.0	3.0	50	PMMA
	15734	2.0	3.0	50	PMMA
	15735	0.5	3.0	50	PMMA



PoliDent

policumen milling tools

USE FOR: ZIRCONIA DISCS

	art.nr.	head dia. mm	shank dia. mm	overal lenght mm	use for
AMANN GIRRBACH	15700	1.0	3.0	48	Zr
	15701	2.5	3.0	48	Zr
	15702	0.6	3.0	48	Zr
IMES ICORE	15703	1.0	3.0	48	Zr
	15704	2.5	3.0	48	Zr
	15705	0.6	3.0	48	Zr
VHF	15706	1.0	3.0	40	Zr
	15707	2.0	3.0	40	Zr
	15708	0.6	3.0	40	Zr
ZIRKONZAHN	15709	1.0	3.0	57	Zr
	15710	2.0	3.0	57	Zr
	15711	0.5	3.0	57	Zr





PoliDent

POLICUITER milling tools

USE FOR: ZIRCONIA DISCS diamond coated

	art.nr.	head dia. mm	shank dia. mm	overal lenght mm	use for
AMANN GIRRBACH	15712	1.0	3.0	48	Zr with diamond
	15713	2.5	3.0	48	Zr with diamond
	15714	0.6	3.0	48	Zr with diamond
IMES ICORE	15715	1.0	3.0	48	Zr with diamond
	15716	2.5	3.0	48	Zr with diamond
	15717	0.6	3.0	48	Zr with diamond
VHF	15718	1.0	3.0	40	Zr with diamond
	15719	2.0	3.0	40	Zr with diamond
	15720	0.6	3.0	40	Zr with diamond
ZIRKONZAHN	15721	1.0	3.0	57	Zr with diamond
	15722	2.0	3.0	57	Zr with diamond
	15723	0.5	3.0	57	Zr with diamond









- 01 Acrylics
- 02 Investment material
- 03 Corundum
- 04 Silicones
- 05 Dental plasters
- 06 Pumice
- 07 Brushes



Laboratory material ACRYLICS

poliHOT

Acrylate for the fabrication of full and partial dentures by using the heat curing

Characteristics: Colour matching with the acrylate for the fabrication of repairs (Policold).

Indications: full dentures, partial dentures

Color range: pink, pink veined, M26, M26 V

O2866 Polihot powder pink - 700 g O2876 Polihot powder pink veined - 700 g

Packing: 03064 Polihot powder M26 - 700 g

03065 Polihot powder M26V - 700 g

O2867 Polihot liquid - 500 g

*for larger orders we can arrange other quantities of packaging









poliCOLD

Acrylate for the fabrication of partial dentures, repairs and rebasings by using the cast technique and the cold curing

Characteristics: Colour matching with acrylate for the fabrication of dentures using the heat curing (Polihot).

Indications: partial denture, repairs, rebasings

Color range: pink, pink veined

02868 Policold powder pink - 700 g 02879 Policold powder pink veined - 700 g

O2869 Policold liquid - 500 g

Packing: 02875 Complete: Policold powder pink - 200 g,

Policold liquid - 150 g

O2885 Complete: Policold powder pink veined - 200 g,

Policold liquid - 150 g

*for larger orders we can arrange other quantities of packaging







Laboratory material

ACRYLICS

K-30 S

Acrylate for the fabrication of full and partial dentures by using the packing / pressing technique and the classical heat curing

Characteristics:

The use of the cold curing material Polirepar S is recommended, the colours of which matches the acrylate for the fabrication of prothesis by using

the heat curing (IK-30 S).

Indications: full dentures, partial dentures

pink, pink veined, PN, PN veined, M26, Color range:

M26V

02706 powder pink - 700 g 02719 powder pink veind -700g 02721 powder PN - 700 g

Packing: 02722 powder PN veined - 700 g

02734 powder M26V - 700g 02736 powder M26 - 700g 02707 liquid - 500 g

*for larger orders we can arrange other quantities of packaging









poliREPAR S

Acrylate for the fabrication of repairs by using the cold curing

Colour matching with acrylate for the fabrication of dentures using the heat Characteristics:

curing K-30S.

Indications: repairs

Color range: pink, PN, PNV

02948 Polirepar S powder - 200 g

03094 Polirepar S powder PN - 200 g Packing: 03095 Polirepar S powder PNV - 200 g

02716 Polirepar S liquid - 150 g

*for larger orders we can arrange other quantities of packaging







Laboratory material ACRYLICS

ORTOpoli

Acrylate for the fabrication of orthodontic appliances by using the spray-on technique and the cold curing.

Fast mixing of the powder with the liquid, the material therefore doesn't spread all over the

Characteristics: model. Large choice of basic colours.

The colouring agents are cadmium free,

therefore it isn't toxic.

Indications: orthodontic appliance

Color range: red, yellow, blue, colourless, fl. yellow, orange,


indigo blue, green, pink

02872 powder, colourless - 700 g, shaker

02872 powdet, colouriess - 700 f 02873 liquid, red - 500 g 02882 liquid, yellow - 500 g 02883 liquid, blue - 500 g 02884 liquid, colouriess - 500 g

O284 liquid, colourless - 500 g
02979 liquid, fl. yellow - 150 g

02980 liquid, orange - 150 g 02981 liquid, indigo blue - 150 g 02982 liquid, green - 150 g 02983 liquid, pink - 150 g







Acrylate for the fabrication of individual impression trays by using the cold curing

Short polymerisation. Microporous surface Characteristics: enables a good hold to the impression

material.

Indications: Individual impression trays

Color: blue

Packing: 02870 Politray powder - 700 g 02871 Politray liquid - 500 g

*for larger orders we can arrange other quantities of packaging









aniTRAY LC

Light-curing material in form of prefabricated, upper baseplates to make rigid, custom impression trays and bite-blocks. This material can be cured in all ultraviolet and Halogen light curing units.

Characteristics: Place the tray with the model in a light curing

unit for 6 - 10 min.

Indications: custom impression trays, bite-blocks

Color: pink

Packing: 15000 Unitray LC - box with 50 upper

baseplates.





Characteristics:

Čold – curing acrylic resin for temporary crowns and bridges

High precision and thus a better contact of

the crown with the gingival area of the core. Glossy surface and minor accumulation of

plaque because of the non porosity of the final product. Highly abrasion resistant.

Simple correction. Not toxic.

Indications: temporary crowns, temporary bridges

Color range: A1, A2, A3, A3, 5, B3, C2, D3, Incisal

02904 powder A1 - 80 g 02949 powder A2 - 80 g

O2888 powder A3 - 80 g O2889 powder A 3,5 - 80 g

Packing: 02890 powder B3 - 80 g

O2891 powder C2- 80 g O2892 powder D3 - 80 g O2893 powder incisal - 80 g

02894 liquid - 150 g







Laboratory material INVESTMENT MATERIAL

poliVES

Carbon-free phosphate bonded precision casting investment for crown and bridgework of all dental alloys by quick or progressive heating procedures

> Long processing time (19 – 24°C) 4 - 7 min Optimal flow characteristics make investing easier and help to prevent unwanted air bubbles.

Expansion is precisely regulated by varying Characteristics: the concentration of the expansion liquid with water.

Fast heating up out reduces the processing time and increases productivity.

Easy separation from the casting object

after cooling.

Indications: crowns and bridgeworks

05844 Polivest powder - 6 kg (40 x 150 g) Packing: 05825 Polisol universal liquid - Il bottle





poliTERM speed

A fine grained model casting investment material for fast burn out as well as for traditional slow heating processes. It is suitable for partial dentures and high-quality combination works

> Equally suitable for gel and silicone duplication.

> Conventional or rapid heating up with ideal expansion values.

Characteristics: Rapid preheating: the insertion temperature

is 600°C, this results in time savings compared to investment materials that have to be heated conventionally.

partial dentures, Indications:

high-quality combination work

O5887 Politerm speed powder - 8 kg (20 x 400 g) Packing:

O5825 Polisol liquid - Il bottle







Laboratory material INVESTMENT MATERIAL

univeCAST

Universal phosphate bonded casting investment material for model crown and bridgework as well as casting technique by quick or progressive heating procedure and for pressable ceramics

> Universal application, one investment for model castings, combination works, as well as crowns and bridges.

> Specially developed for casting non-precious

dental alloys.

Casting is simple even with ringless Characteristics:

technique.

For quick heating, place the cylinder into the furnace at the final burnout temperature and casting can commence within an hour; this

allows considerable time savings.

crowns and bridgeworks, Indications:

Co-Cr model castings,

high-quality combination works

05904 Univecast powder - 6 kg (40 x 150 g) Packing:

O5825 Polisol liquid - Il bottle







poliPRESS

A phosphate bonded casting investment material for pressable ceramics

Perfect fit.

High degree of precision. Characteristics:

Quick heating.

High compression strength.

full ceramics,

Indications: press-over-zircon ceramics,

press-over-metal ceramics

05934 Poli Press powder - 6 kg (60 x 100 g) Packing:

05832 Poli Press liquid - 11 bottle







Laboratory material CORUNDUM

poliKORUND

99,8% Aluminium Oxyde (Al_2O_3) for blasting

Sharp grain form and extreme hardness

Characteristics: ensure highest blasting efficiency.

White color.

Indications: for blasting of all alloys and ceramics

05721 Poli korund 250 mic - 25 kg bag

05722 Poli korund 110 mic - 25 kg bag

Packing: 05723 Poli korund 50 mic - 25 kg bag
05755 Poli korund 250 mic - 5 kg container

05756 Poli korund 110 mic - 5 kg container

05757 Poli korund 50 mic - 5 kg container



Laboratory material SILICONES

poliSILICONE

Addition-curing two-component duplicating silicone

Compatible with stone and phosphate materials.

Models are easily removed.

Characteristics: Extremely precise and dimension stable.

High elasticity.

Hardness Shore A: 24-26.

Color: catalyst - white, base material - pink.

Indications: for duplicating models in dental laboratories

Packing: 06957 Poli silicone (24 shore) A+B









www.polident.si

Laboratory material

DENTAL PLASTERS



ALABASTER

Particularly multiple-purpose dental plaster – Type 2

White colour and odourless.

Mixtures of calcium sulphate with other

additives.

Characteristics: Mix ratio: water (ml) / plaster (g) - 60 / 100.

Expansion: 0,16 %. Setting time: 10 - 14 min. Working time: 5 - 6 min.

models for impression trays for partial and

total dentures,

Indications: models for supporting and reparation of

dentures, study models

05801 Alabaster 5 kg plastic container Packing:

05720 Alabaster 20 kg plastic container

05802 Alabaster 25 kg bag





Hard dental plaster – Type 3

Blue colour and odourless.

Mixtures of calcium sulphate with other

Characteristics: additives.

Mix ratio: water (ml) / plaster (g) - 30 / 100.

Expansion: 0,18 %. Setting time: 7 - 12 min.

models for partial and total dentures,

models for orthodontic appliances, Indications: models for supporting and reparation of

dentures,

study models

05754 Polidur 5 kg plastic container

Packing: 05744 Polidur 20 kg plastic container

05864 Polidur 25 kg bag



Laboratory material **DENTAL PLASTERS**

poli STONE

Very hard dental plaster – Type 4

Beige colour and odourless. Mixture of calcium sulphate and additives. Mix ratio: Characteristics:

water (ml) / plaster (g) - 22 / 100.

Expansion: 0,09 %. Setting time: 12-14 min.

antagonistic models,

models for partial and total dentures,

for use in implantology,

Indications: models for orthodontic appliances,

models for supporting and reparation of

dentures, study models

05828 Polistone 5 kg plastic container 05831 Polistone 20 kg plastic container Packing:

05830 Polistone 25 kg bag



Hard dental plaster - Type 1

White colour and odourless.

Mix ratio: water (ml) / plaster (g) - 63 / 100.

Characteristics: Low setting expansion: 0,09 %.

Fast setting time: 3 min. Fast working time: 60 - 90 sec.

the special plaster Prima art is used to Indications:

articulate models on the articulator,

applications with short setting time

05907 Prima art 5 kg plastic container Packing:

05908 Prima art 20 kg plastic container



High strength die stone - Type 4

Characteristics:

Yellow colour and odourless. Mix ratio: water (ml) / plaster (g) - 20 / 100.

Low setting expansion: 0,13 %. Fast setting time: 12 min.

Short working time: 6 - 8 min.

antagonistic models, models for partial and total dentures, models for orthodontic

Indications: appliances, models for supporting and reparation of dentures, study models, for

use in implantology

05911 Prima rock 2 kg plastic container

Packing: 05925 Prima rock 5 kg plastic container 05913 Prima rock 20 kg plastic container





Laboratory material **PUMICE**

Vulcanic rock for polishing of acrylics

Characteristics: Neatly cleaned.

Indications: for polishing of acrylics in dental prosthetics

05725 Plovec 25 kg bag Packing:

05724 Plovec 5 kg container





BRUSHES

07888 brush with shank Hard Brushes 07882 FI 21 brush with shank 07880 FI 48 brush without shank

07887 brush with shank Soft Brushes 07885 Fi 21 brush with shank

Leather Wheels 07881 FI 85 wheel without shank

07900 FI 100 40 wheel without shank Cotton Wheels 07901 FI 100 24 wheel without shank
















O1 Disposable products



Surgery material DISPOSABLE PRODUCTS

PROTECTIVE MEDICAL GLOVES

Characteristics:

Non-sterile premium latex exsaminatium gloves and non sterile nitrile exsamination gloves.

gloves King chlorinted-micro-textured, powder-free, 100 pcs:

16525 x-small, 16526 small, 16527 medium, 16528 large

gloves King honeycomb-textured peppermint, powdered, natur 100 pcs:

16520 x-small, 16521 small, 16522 medium, Packing: 16523 large

gloves King latex, natur, powdered, 100 pcs: 16535 x-small, 16536 small, 16537 medium, 16538 large


gloves King nitril, blue, powder-free, 100 pcs: 16529 small, 16517 medium, 16519 large











Surgery material DISPOSABLE PRODUCTS

PROTECTIVE MEDICAL APRON

Layered super absorbent 100 % pure

Characteristics: Charac

Water proof.

07864 patient apron 53 x 80, green, roll, 60 pcs 07865 patient apron 53 x 80, blue, roll, 60 pcs 07866 patient apron 53 x 80, white, roll, 60 pcs Packing: 07912 patient apron 53 x 80, orange, roll, 60 pcs 07914 patient apron 53 x 80, pink, roll, 60 pcs

07917 patient apron 33 x 45, green, 500 pcs 07921 patient apron 33 x 45, blue, 500 pcs






We are selling to...

UNITED CANADA

UNITED

64





... but, we are still looking for new opportunities!




Your Flexible and Reliable Partner











Polident d.o.o. Dental Products Industry

Volčja Draga 42 5293 Volčja Draga Slovenija Tel: + 386 5 330 48 40 Fax: + 386 5 330 48 70 polident@polident.si